

JOURNAL OF MARITIME RESEARCH

Vol XXI. MT24 (2024) pp 30-39

ISSN: 1697-4840, www.jmr.unican.es



Diagnosis of stress and fatigue in maritime work on board. ?The case of Spanish seafarers?

M. N. López-López^{1,*}, R. M. De La Campa Portela¹, J. R. Sánchez-Girón¹

ARTICLE INFO

ABSTRACT

Article history:

Received 15 Jul 2024; in revised from 24 Jul 2023; accepted 16 Aug 2024.

Keywords:

Stress, fatigue, medical examination.

All seafarers wishing to work on a ship must undergo a medical examination prior to embarkation, according to the Maritime Labour Convention, (MLC,2006), and the Standards of Training, Certification, and Watchkeeping (STCW), in compliance with STCW Regulation I/9 and Section A-I/9. In Spain, this focuses mainly on physical tests of the individual and not so much on his or her mental health. This paper shows the results of a survey on "stress and fatigue in maritime shipboard work". Despite having suffered from both stress and fatigue in the last campaign on board, 49.79% of the respondents acknowledge that they have never been diagnosed with stress, and 52.04% reveal that they have not been diagnosed with fatigue. On the other hand, 55.50% of the participants in this consultation consider it necessary to diagnose stress in the medical examination and 61.40% believe that tests relating to the diagnosis of fatigue are necessary in these examinations. In view of these data, the competent authorities, as well as the different contracting companies, are urged to promote both prevention and mitigation of the possible consequences of suffering from both stress and fatigue in order to avoid unintended consequences such as maritime accidents.

© SEECMAR | All rights reserved

1. Introduction.

According to the guidelines of the International Labour Organization (ILO), specifically Convention 16 concerning Medical Examination of Young Persons Employed at Sea, Convention 73 regarding Medical Examination of Seafarers, and Convention 113 on Medical Examination of Fishermen, the "Instituto Social de la Marina (ISM)" provides free medical examinations prior to maritime embarkation for all maritime workers.

These examinations, which are mandatory, aim to ensure that the psychophysical conditions of the seafarer are compatible with the requirements of their job and do not pose a danger to the health and safety of the individual or the rest of the crew, nor do they put maritime navigation at risk.

The obligation for medical examinations prior to embarkation according to the International Labour Organization (2013)

begins with the implementation of the Convention concerning Medical Examination of Seafarers in 1946 (No. 73) (ILO, 1946), after the ILO adopted the Convention concerning Medical Examination of Young Persons Employed at Sea. 1921 (No. 16) (ILO, 1921).

Today, the aforementioned instruments have been consolidated into the Maritime Labour Convention, 2006 (MLC, 2006), through which the legislations of the signing countries ensure that all seafarers hold a valid medical certificate.

Work-related stress and fatigue are shown to be highly important issues addressed at both national and international levels, due to their impact on individuals' physical and mental health. It is necessary to seek a balance between life and work, especially in terms of workload. The consequences of work-related stress are diverse and affect both the individual and the organization. Cardiovascular and respiratory disorders, as well as sleep disturbances, are exacerbated by workplace harassment, leading to increased depression, anxiety, and exhaustion among seafarers. Stress impairs situational awareness and decision-making, and in extreme cases, it can lead to increased drug

¹Higher Technical College of Nautical Sciences and Marine Engineering, University of A Coruña.

^{*}Corresponding author: M. N. López-López. E-mail: natividad.lopezl@udc.es.

and alcohol consumption, even resulting in suicide.

Regarding fatigue, it can lead to various consequences such as a higher likelihood of workplace accidents, increased absenteeism among fatigued workers, elevated risk of cardiovascular diseases, decreased alertness and vigilance, reduced attention span, diminished visual and auditory discrimination, increased memory errors, potential development of chronic fatigue syndrome with challenging medical solutions and frequent relapses, as well as stress, demotivation, and the development of various pathologies.

It is noteworthy that fatigue is considered both as a primary cause and a significant factor contributing to human error that lead to maritime accidents (Reyner, 1998; Louro et al., 2012; Smith et al., 2013; Uğurlu et al, 2015). Several studies (Jensen et al., 2006; Wadsworth et al. 2008) have demonstrated that chronic fatigue issues, stress-related matters, and other health concerns are associated with on board working conditions.

In connection with this article, Ruano (2009) is consulted to create a chronological classification of Spanish regulations regarding pre-embarkation medical examinations, in which it is advisable to highlight:

- "Ley 116/1969 de 30 de diciembre" where, regarding the Special Social Security Scheme for Sea Workers, it is established that "in the case of seafarers on board, the data relating to affiliation shall be recorded in the Maritime Registration Book, or in the medical record for those with qualifications, and those relating to their health circumstances shall be recorded in the document intended for that purpose", therefore the need to record the seafarer's health circumstances is already mentioned ("Ley 116/1969 art.10 .3, of 30 Diciembre"), and RD 1414/1981 of 3 July attributes to the ISM the health care of seafarers and their beneficiaries within the national territory. On the other hand, the Order of 10 July 1984, of the Ministry of Labour and Social Security, created the Maritime Medicine Service, which was later renamed the Maritime Health Service, with the aim of developing and implementing a comprehensive preventive health care programme, entrusts the doctors assigned to this service with medical examinations prior to embarkation (RD 1414/1981, de 3 Julio de 1981).
- Subsequently, RD 2358/1982 of 27 August 1982, indicates the structure of the ISM, as well as the locations where it will be possible to carry out medical examinations in Spain and abroad (RD 2358/1982, de 27 de agosto 1982).
- "Ley 14/1986 de 25 abril 1986" establishes the obligation of the public administrations to develop actions for the protection, promotion and improvement of occupational health (Ley 14/1986 of 25 abril 1986).
- "Ley 31/1995 de 8 Noviembre 1995" on the Prevention of Occupational Risks makes it compulsory to carry out medical examinations of workers (Ley 31/1995 de 8 noviembre 1995).
- The Sixth Additional Provision of RD 39/1997 of 17 January 1997 approves the Regulations on Occupational Risk Prevention Services, and assigns the ISM the competence for medical examinations (*RD 39/1997 de 17 enero 1997*).
- RD 525/2002 of 14 June 2002 transposed into Council Directive 1999/63/EC of 21 June 1999, the purpose of which was to verify compliance by foreign merchant ships with the

provisions of clauses 1 to 12 of the Agreement on the Organisation of Working Time of Seafarers. In addition, clause 13 of the agreement made it compulsory for all seafarers to hold a certificate attesting to their ability to perform the duties for which they were employed on board. The nature of the medical examinations to be undergone by seafarers, and the details to be contained in the medical certificates, were to be established after consultation with the shipowners' and seafarers' organisations concerned. Under these regulations, all seafarers will be required to undergo regular medical examinations. Seafarers on watchkeeping who were medically certified as suffering from health problems due to night work were, where possible, to be transferred to a suitable day shift. Medical check-ups were to be carried out free of charge and with respect for medical confidentiality and could be provided within the framework of national health systems (RD 525/2002 de 14 junio 2002).

- "Ley 41/2002 de 14 Noviembre 2002", among other rights of the person regarding their medical history, indicates that all users have the right to have all certificates on their state of health, and that these will be free of charge (Ley 41/2002 de 14 noviembre 2002).
- Article 1 of RD 1696/2007 of 14 December 2007 states that the purpose of medical examinations is to ensure that the applicant's psychophysical conditions are appropriate to the characteristics of the job and do not constitute a danger to the health and safety of the worker or the rest of the crew. These examinations, which will be free of charge for the worker, will be carried out by the doctors assigned to the Maritime Health Service. The period of validity of the medical examination shall be determined in each case by the doctor carrying out the examination, depending on the worker's state of health, age and the type of work to be assigned to him. The maximum validity shall be two years. The result of the medical examination, according to article 5, may be "suitable", "not suitable" or "suitable with restrictions". (RD 1696/2007 de 14 diciembre 2007).
- RD 973/2009 of 12 June 2009 states that, as a requirement for embarkation, the crew member must comply with physical fitness standards by means of a medical examination prior to embarkation (*RD 963/2009 de 12 junio 2009*).

There are no specific requirements on the detection of fatigue and/or stress in these regulations neither specific regulations to diagnose fatigue and stress among seafarers.

2. Backgroundd.

Since researcher Selye (1973) introduced this concept into the field of health, stress has been a difficult term to define, as it holds different meanings for different researchers. There are numerous references to this term and its consequences on people's behaviour, and likewise, many authors define stress and attempt to quantify it (Selye, 1973).

In general, stress has been conceptualized in three ways:

- As a set of stimuli.
- · As a response.

• As a process involving both stressors and responses to them, including the interaction between the individual and the environment.

In the understanding of stress as a set of stimuli (Cannon, 1932; Holmes and Rahe, 1967), there are certain environmental conditions, called stressors, that elicit feelings of tension and/or are perceived as threatening or dangerous in individuals. This concept of stress as harmful stimulation received by the organism is easily linked to illness, health, and well-being. An advantage associated with this definition is the ability to objectively measure stress, therefore considering it as an independent variable.

Stress is a phenomenon with significant consequences and is becoming increasingly common, affecting both physical and psychological well-being and often deteriorating both individual and organizational health. It is a factor that impacts on health and, to a large extent, on the workplace, becoming a key aspect of occupational safety and health.

The current state of employment and the economy is increasingly giving rise to circumstances that pose challenges for workers. Stress-related problems are increasing because the nature of work has changed, transitioning from primarily physical tasks to tasks requiring significant mental effort, driven by the computerization of the production process. Additionally, the increase in the pace of work and the decrease in the number of workers contribute to increased job stress (Del Hoyo, 1997).

Fatigue is an indicator that something is not right and requires attention, whether at an individual level, regarding working conditions, or in connection with their organization. The consequence is that this can affect not only health but also safety, as fatigue brings about errors that can lead to accidents.

In the workplace, fatigue is associated with demotivation, increased absenteeism, and job turnover.

The well-being of personnel, both physically and psychologically, is essential for the normal functioning of the ship. Individuals on board experience a series of psychological and physiological factors, both of which are interconnected. For instance, fatigue can lead to a lack of energy for physical exercise on board, a lack of exercise can lead to obesity due to excessive consumption, a lack of control over diet, and overweight can lead to a lack of ability to perform professional tasks, which could have psychological effects. Fatigue compromises the health and safety of life at sea, both personally and operationally, risking cargo and the ship itself. Therefore, knowledge of the determinants of fatigue is necessary to facilitate its prevention. Due to the unique work of a vessel, working hours and shifts are as important as regulating rest time. These have been analysed and regulated by current specific standards at both national and international levels. (Sargent et al, 2017).

2.1. Stress perception and diagnosis.

2.1.1. Stress level of the last campaign.


Using a Likert scale, data on the perceived level of stress are obtained. As shown in Figure 1 (n=234), a grouping has been made where values of 0 and 1 correspond to a very low level, values 2 and 3 to a low level, values 4, 5, and 6 to a medium

level of stress perception, values 7 and 8 correspond to a high level, and very high level to 9 and 10. After this difference, it is observed that 44.87% of the participants rated their level of stress during the last campaign as low, compared to 41.88% who considered their stress level to be high. However, within this latter group, the highest value is observed, with 23.93% attributing values of 7 and 8.

The survey results show that, 55.51% of the surveyed crew members (n=227) admit that stress diagnosis in pre-embarkation medical examinations is "always" necessary.

This highlights that crew members consider a benefit to add tests related to this set of pathological reactions before embarkation. The inclusion of this question in the questionnaire responds to the fact that, in pre-embarkation medical examinations, seafarers primarily undergo physical tests. However, it supports the idea that shipping companies should consider developing and implementing improvements to employee well-being (Nielsen et al.2013).

Figure 1: Rate your level of stress in the last campaign from 0 to 10 (0 rates not stressed at all and 10 rates very stressed).




Source: Authors.

2.1.2. Relationship between stress and work shift.

In Figure 2 (n=234), 75.64% of the participants state or declare, to varying degrees, that stress is clearly related to shift work.

Figure 2: How often would you relate stress to shift work?.




Source: Authors.

2.1.3. Diagnosis of stress.

As shown in Figure 3, 49.79% of the participants claim to have never been diagnosed with stress, followed by those who state that they have never visited a doctor for stress, with 39.15%.

Figure 3: Have you been diagnosed with stress?.




Source: Authors.

It should be noted that not being diagnosed does not mean that one has not experienced it. As previously mentioned, there are no standardized tools for diagnosing stress in the population of seafarers (as discussed in the introductory section). Furthermore, stress is not currently considered a work-related illness as such (RD 1299/2006, November 10), but rather as a trigger, although governments such as Spain's in 2018, in the "Non-Legislative Proposal for debate in the Employment and Social Security Commission, regarding the increase in work-related accidents in 2017" (PNL, 2018), attempted to include workrelated stress in the list of occupational diseases covered by the Social Security system. In 2017, there were 618 deaths during the working day or commuting, increasing in 1.8% the results of the previous year, which is why the Labor Commission at that time presented a non-legislative proposal that includes measures to reduce work-related accidents. The text states that "practically one-third of deaths were caused by a heart attack or stroke," a factor that is cited as "the main cause of death at work." In addition, unions refer to "stress and work pressure have a high impact on this type of death," a cause that "remains the great forgotten in prevention plans." Article 157 of the Consolidated Text of the General Social Security Act defines occupational disease as "that contracted as a result of work performed for others in the activities specified in the table approved by the implementing and development provisions of this Act, and that is caused by the action of the elements or substances indicated in said table for each occupational disease. In such provisions, the procedure to be followed for the inclusion in said table of new occupational diseases that are deemed necessary shall be established. This procedure shall include, in any case, as a compulsory procedure, the report of the Ministry of Health, Social Services and Equality." The above refers to cases of work accidents in general, and therefore, it is applicable to the maritime sector.

2.1.4. Timing of stress diagnosis.

As shown in Figure 4, 61.54% of the participants diagnosed with stress were diagnosed during the vacation period.

Figure 4: When was that stress diagnosis made, in case you were diagnosed with stress?.




Source: Authors.

2.1.5. Sick leave due to stress.

The survey results show that 95.32% of respondents have not taken sick leave due to stress, this figure is far from the data of INE (Spanish statistics National Institute) that indicate that, in 2018, the 30% of sick leave in Spain was caused by stress and anxiety.

Figure 5: Duration of sick leave due to stress.




Source: Authors.

On the other hand, Figure 5 shows the duration of sick leave due to stress, with sick leave of more than 15 days to one month being the most common among those who did take sick leave due to stress (45.45%), followed by sick leave from three months to one year (27.27%).

2.1.6. Main reason for sick leave due to stress.

In this section, participants are asked to state the reason for their sick leave due to stress. As shown in Figure 6, the highest percentage is 15.38% corresponding to "high level of responsibility" and "inappropriate use of positions of power." Reasons with a percentage below 3.85% were grouped under "Other issues".

Figure 6: I consider the main reason for my sick leave due to stress.



Source: Authors.

2.1.7. Stress-related tests in pre-embarkation medical examination

Figure 7 shows the results regarding stress-related tests in the pre-embarkation medical examination. 91.03% of the participants claim to have never undergone such tests.

2.2. Fatigue perception and diagnosis.

2.2.1. Level of fatigue in the last campaign.

In order to obtain data regarding the perception of fatigue level, participants are asked about their level of fatigue in the last campaign using a Likert scale from 0 to 10 (where 0 means "not fatigued at all" and 10 means "very fatigued"). As shown in Figure 8 (n=221), a grouping has been done where very low fatigue level is considered for values 0 and 1, low level for values 2 and 3, medium level for values 4, 5, and 6, high level for values 7 and 8, and very high for values 9 and 10. 24.43% of participants consider themselves to have a high level of fatigue.


The survey results show 61.40% of the participants consider that diagnosing fatigue in the pre-embarkation examination is always necessary.

Figure 7: In the pre-embarkation medical examination, indicate the response you would have experienced.



Source: Authors.

Figure 8: Rate your level of fatigue in the last campaign from 0 to 10 (where 0 means not fatigued at all and 10 means very fatigued).



Source: Authors.


2.2.2. Relationship between fatigue and shift work.

In Figure 9 (n=221), it is shown that 83.25% of the participants affirm, to some extent, that fatigue is clearly related to shift work.

2.2.3. Diagnosis of fatigue.

Díaz (2009) defines work-related fatigue as "a depletion of the individual, at the nervous, psychological, muscular, intellectual, or sensory level, most likely caused by the continuity of a task without adequate rest or compensation, resulting in effects such as loss of functional capacity, lack of resistance, feelings of helplessness, and discomfort." According to Quevedo et al.

Figure 9: How often would you relate fatigue to shift work?.




Source: Authors.

(2005), work-related fatigue can negatively impact the worker's health, leading to specific symptoms due to exposure to conditions that do not occur in the same way in everyday life.

Work-related fatigue alone is not considered an occupational disease in Spanish legislation (RD 1299/2006, November 10). Work-related fatigue is a consequence of excessive activity and monotonous work, which can be alleviated with reasonable schedules, adequate rest periods, and sufficient time for sleep, recreation, and eating. Therefore, fatigue manifests as a decreasing ability to perform work. Long working hours are inevitably associated with fatigue; in these cases, the sense of fatigue acts as a protective mechanism for the body, preventing total exhaustion. This is the reason for including these questions in the survey.

Work-related fatigue originates from the person-job relationship (UCM, 2013). Factors arising from work and the conditions under which it is carried out have a significant influence on the body and mind, shaping the types of fatigue.

Figure 10: Have you been diagnosed with fatigue?.



Source: Authors.


Figure 10 shows that 52.04% of the participants have never

been diagnosed with fatigue, while 0.45% of the participants have been diagnosed with fatigue every time they visited the doctor for this reason.

2.2.4. Timing of fatigue diagnosis.

Figure 11 shows that among the participants diagnosed with fatigue, 60% were diagnosed during the vacation period.

Figure 11: If diagnosed with fatigue, when was the diagnosis made?.




Source: Authors.

2.2.5. Sick leave due to fatigue.

The survey results show that 99.10% of the participants have not taken sick leave due to fatigue. On the other hand, the duration of this sick leave is analysed. Figure 12 shows that in 50% of cases, sick leave has been for more than 15 days to a month, while in the other 50%, it has been from 3 months to a year.

Figure 12: Duration of sick leave due to fatigue.




Source: Authors.

2.2.6. Main reason for sick leave due to fatigue.

As shown in Figure 14, 33.33% of those diagnosed consider that the main reason for their sick leave due to fatigue has been the high level of responsibility.

Figure 13: I consider that the main reason for my sick leave due to fatigue was.




Source: Authors.

2.2.7. Tests related to fatigue in medical examinations.

Figure 14 shows the results regarding tests related to fatigue in pre-embarkation medical examinations. 75.11% of the participants say they have sometimes been tested for fatigue in the pre-boarding medical examination, while 0.45% declare they have undergone fatigue-related tests after being on sick leave for this reason. It is worth noting that the 22.17% state that they have never undergone fatigue-related tests during the pre-boarding medical examination.

Figure 14: In the pre-embarkation examination, indicate the response you would have experienced.



Source: Authors.

3. Methods.

For the purpose of this study, a survey of 34 questions was designed and distributed. Nearly all the questions in this survey are closed-ended, allowing the survey participant to select, from a series of predefined categories, the response that best fits or approximates their experience (López, 2023). Of the 34 questions comprising the survey, 14 are related to participant identification, 10 are directly related to the perception and diagnosis of stress, and 9 are related to fatigue. The survey was distributed between December 2017 and April 2018, in both English and Spanish, and a total of 236 valid responses were obtained, confirming the sample's representativeness. For the study and comparison of the different variables, the statistical analysis program SPSS and the spreadsheet EXCEL were used (López, 2023).

Conclusions.

As part of the work leading to this article, the responses of the participating seafarers in the survey on stress and fatigue experienced during their last onboard campaign have been analysed, focusing on pre-embarkation medical examinations. The majority of participants agree that they have not undergone specific tests for the detection of stress, in the case of fatigue, although 75% have ever been tested for fatigue in the medical examination, more than 22% admit that they have never been tested for fatigue in the pre-boarding examination, despite the fact that the vast majority acknowledge experiencing both stress and fatigue without being diagnosed with them.

After analysing the existing Spanish regulations regarding medical examinations, we observed the obligation to conduct these examinations and that they should be carried out by duly qualified personnel, in addition to determining the duration of the fitness to work on a ship. With the aim of avoinding endanger maritime navigation, medical examinations focus on the psychophysical abilities of seafarers prior to embarkation, but do not address stress and/or fatigue in depth, as specific protocols for addressing these issues have not been found. Furthermore, the respondents largely agree on the need to conduct tests related to both stress and fatigue in pre-embarkation examinations.

An interesting action would be to include tests on stress and fatigue experienced onboard in medical examinations. Based on the survey findings, it is observed that seafarers who have taken sick leave due to stress and fatigue, or have been diagnosed with these conditions, receive treatment and follow-up. However, none of them would have participated in a prediagnostic test for fatigue and stress, which could have facilitated early detection of symptoms and appropriate action accordingly.

On the other hand, up to 2 years may elapse between two consecutive medical examinations, during which time the seafarer may have engaged in numerous onboard campaigns, assumed various positions of responsibility, collaborated with different colleagues, served on vessels with varying routes, and possibly even switched companies.

Companies and competent authorities are urged to invest in research and work on prevention and training, as well as the detection and recognition of both stress and fatigue. This is because among the reasons outlined in this article, the signs and symptoms of these problems could be mistaken by the individual onboard.

References.

AGCS. (2016). Allianz Global Corporate & Specialty SE (fourth edition of its annual report on maritime transport safety 2016). p. 3.

Akyuz, E, Celik, M y Cebi, S (2016). A phase of comprehensive research to determine marine-specific EPC values in human error assessment and reduction technique. Safety Science. 87. 63-75. https://www.sciencedirect.com/science/article/pii/S0925753516300194?via%3Dihub [Accesed 10 February 2023].

Bal Beşikçi, E, Tavacıoğlu, L y Arslan, ö. (2016) The subjective measurement of seafarers' fatigue levels and mental symptoms, Maritime Policy & Management, 43:3, 329-343. https://www.researchgate.net/publication/281398820_The_subjective_measurement_of_seafarers'_fatigue_levels_and_mental_symptoms. [Accesed 10 February 2023].

BOE. (2010). Enmiendas de Manila de 2010 al Anexo del Convenio Internacional sobre Normas de formación, titulación y guardia para la gente de mar (Convenio de formación) 1978. Ministerio de Asuntos Exteriores y de Cooperación. Boletín Oficial del Estado nº 67,pág. 245670 a 024595.

—. (2013). Instrumento de Ratificación del Convenio sobre el trabajo marítimo, 2006. Madrid : Boletín Oficial del Estado, 22 de enero de 2013. 19.

C161 - Occupational Health Services Convention, (1985) (No. 161)

Cannon, W. (1932). The Wisdom of the Body. Nature 133, 82.https://www.scirp.org/reference/referencespapers?reference-id=1533450[Accesed 10 February 2023].

Council Directive 1999/63/EC of 21 June 1999 concerning the Agreement on the organisation of working time of seafarers concluded by the European Community Shipowners' Association (ECSA) and the Federation of Transport Workers' Unions in the European Union (FST) - Annex: European Agreement on the organisation of working time of seafarers,pág. 33 a 37.

Council Directive 89/391/EEC — measures to improve the safety and health of workers at work. Official Journal of the European Union, 183, pp. 1-8.

Council Directive 89/654/EEC of 30 November 1989 concerning the minimum safety and health requirements for the workplace (first individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC) págs. 1-12.

Council Directive 89/655/EEC of 30 November 1989 concerning the minimum safety and health requirements for the use of work equipment by workers at work (second individual Directive within the meaning of Article 16 (1) of Directive 89/391/EEC) págs. 13-17.

Del Hoyo, M. (1997). Estrés Laboral. Marid : INSHT, Instituto Nacional de Seguridad e Higiene del Trabajo, 1997.

https://www.sesst.org/wp-content/uploads/2018/08/estres-laboral-guia.pdf [Accesed 10 February 2023].

Díaz, M. (2009). Prevención de riesgos laborales: seguridad y salud ocupacional. España: Editorial Paraninfo, 2009. ISBN 10: 8428335273. ISBN 13: 9788428335270[Accesed 10 February 2023].

EMSA. (2019). "Informe anual 2019 de EMSA sobre accidentes marítimos". Ingeniería naval, ISSN 0020-1073, Nº. 985, p. 44-44

Holmes TH, Rahe RH. (1967). The Social Readjustment Rating Scale. J Psychosom Res. Aug;11(2):213-8. doi: 10.1016/0022-3999(67)90010-4. PMID: 6059863. https://pubmed.ncbi.nlm.nih.gov/6059863/[Accesed 10 February 2023].

IMO (1978). STCW, International Convention on Standards of Training, Certification and Watchkeeping for Seafarers (STCW). Adoption: 7 July 1978; Entry into force: 28 April 1984; Major revisions in 1995 and 2010. Geneva: International Maritime Organization.

IMO,(1993). Resolution A.772(18)- Factors contributing to fatigue. Geneva: International Maritime Organization.

IMO (1993). Resolution A.772(18) on Fatigue factors in manning and safety. London: International Maritime Organization.

IMO (1998). Resolution A.481(XII) Principles relating to safe manning. Sub-Committee on Standards of Training and Watchkeeping SRW 30/7/1 October 1998: International Maritime Organization.

IMO (1999). Resolution A.890(21) adopted on 25 November 1999 Principles of safe manning. Geneva: International Maritime Organization.

IMO (2000). Resolution a.884(21) adopted on 25 november 1999 amendments to the code for the investigation of maritime accidents and injuries. Geneva: International Maritime Organization.

IMO (2001). Guidance on fatigue reduction and fatigue management. MSC/Circ 1014 of 12 June 2001. MSC/Circ.1014.

IMO (2001). MSC/Circ.1014 Guidance on fatigue mitigation and management. London: IMO, International Maritime Organization.

IMO (2003). resolution a 947 (23) idea, principles and objectives of the organisation with respect to the human factor. London: International Maritime Organization.

IMO (2004). Resolution A.955(23) adopted 5 December 2003 Amendments to the Principles of Safe Manning. Geneva: International Maritime Organization.

IMO (2005). MARINE ENVIRONMENT PROTECTION COMMITTEE (MEPC 53/7). s.l.: International Maritime Organization.

IMO (2011A). Resolution a.1047(27) adopted on 30 november 2011 principles relating to minimum safety equipment. Geneva: International Maritime Organization.

IMO (2011B). MSC/Circ.1014. Guidance on fatigue mitigation and management. [International Maritime Organization IMO. London: International Maritime Organization, 12 June 2011B. Vol. Module 5.

IMO (2013). ILO/IMO/JMS/2011/12 Guidelines for the

conduct of medical examinations of seafarers. Geneva: International Maritime Organization.

IMO (2019). MSC 100/20 Report of the committee on safe seas for its 100th session. Geneva: IMO, International Maritime Organization.

IMO (2019). MSC.1/Circ.1598, Guidelines on fatigue. London: 24 January 2019. Vol. Module 4.

ILO. (1921). C016 - Medical Examination of Young Persons (Sea Labour) Convention. Geneva: International Labour Organization.

ILO (1946). C73 Seafarers' Medical Examination Convention, 1946. Seattle: International Labour Organization.

ILO (1981). R164 - Occupational Safety and Health Recommendation, 1981 (No. 164). Geneva: International Labour Organization.

ILO (1985). R171 - Occupational Health Services Recommendation, 1985 (No. 171). Geneva: International Labour Organization.

ILO (2005). C187-Promotional framework for safety, International Labour Conference, 95th Session, 2006. Geneva: International Labour Organization.

ILO (2006). Maritime Labour Convention. Geneva: International Labour Organization.

ILO (2012). SOLVE: Integrating health promotion into OSH workplace policies: A trainer's guide. Geneva: International Labour Organization p. 331.

ILO (2013A). Guidelines for the conduct of medical examinations of seafarers. Geneva: International Maritime Organization.

ILO (2013B). Labour Convention 2006, Regulation 2.3.Instrument of Ratification of the Maritime Labour Convention, 2006, done at Geneva on 23 February 2006. Geneva: International Labour Organization.

ILO (2013C). Preventing stress at work: checklist of checkpoints:best practices for stress prevention in the workplace. Geneva: International Labour Organization. p. 119.

ILO (2016). Stress at work: A collective challenge.Labour Administration, Labour Inspection and Occupational Safety and Health Service (LABADMIN/OSH). Geneva: International Labour Organization. p. 62.

ISM, resolución de 21 de abril. (2020). Resolución de 21 de abril de 2020, del Instituto Social de la Marina, por la que se actualizan determinadas medidas, con motivo del COVID-19, en relación con las prestaciones y servicios específicos para el sector marítimo-pesquero. Madrid: Boletín Oficial del Estado nº 113, págs. 29627-29628.

Jensen, O, Sørensen, J, Thomas, M, Canals, M, Nikolic and N, Hu, Y. (2006). Working conditions in international seafaring. Occupational medicine (Oxford, England). 56. 393-7. https://pubmed.ncbi.nlm.nih.gov/16804089/ [Accesed 10 February 2023].

Ley 116/1969 art.10.3. de 30 de diciembre. Ley 116/1969, de 30 de diciembre, reguladora del Régimen Especial de Seguridad Social de los Trabajadores del Mar. Madrid : Boletín Oficial del Estado nº 313,págs. 20491-20498.

Ley 14/1986. de 25 de abril. Ley 14/1986, de 25 de abril, General de Sanidad. Madrid : Boletín Oficial del Estado nº.

102.

Ley 1867/1970 art.16. de 9 de julio. Decreto 1867/1970, de 9 de julio, por el que se aprueba el Reglamento General de la Ley 116/1969, de 30 de diciembre, por la que se regula el Régimen Especial de la Seguridad Social de los Trabajadores del Mar. Madrid: BOE, Boletín Oficial del Estado nº165.

Ley 31/1995. de 8 de noviembre. Ley 31/1995, de 8 de noviembre, de prevención de Riesgos Laborales. Madrid : Boletín Oficial del Estado nº 269.

Ley 41/2002. de 14 de noviembre. Ley 41/2002, de 14 de noviembre, básica reguladora de la autonomía del paciente y de derechos y obligaciones en materia de información y documentación clínica. Madrid: Boletín Oficial del Estado, n°274, págs. 40126-40132.

Ley 47/2015. de 21 de octubre. Ley 47/2015, de 21 de octubre, reguladora de la protección social de las personas trabajadoras del sector marítimo-pesquero. Madrid: Boletín Oficial del Estado. 253, págs. 98849-98872.

López, MN.(2023). El estrés y la fatiga en el trabajo marítimo a bordo. Tesis. UDC A Coruña

Louro, J., Vázquez, P. and De la Campa, R. (2012). Accident risk factors in convecional and high speed ferry ships in Spain. Journal of Maritime Research, 15 de diciembre de 2012, Vol. IX, I, págs. 3-8. Journal of maritime research: JMR, ISSN 1697-4840, https://www.jmr.unican.es/index.php/jmr/article/view-/161. [Accesed 10 February 2023].

MLC. (2006). Maritime Labour Convention. s.l. ILO, International Labour Organization, 7 February 2006.

Nielsen MB, Bergheim K and Eid J. (2013). Relationships between work environment factors and workers' well-being in the maritime industry. Int Marit Health.;64(2):80-8.

Parker, T, Hubinger, L, Green, S., Sargent, L and Boyd, B. (1997). A survey of the health stress and fatigue of Australian seafarers. https://eprints.qut.edu.au/322/ [Accesed 10 February 2023].

PNL. (2018). Proposición no de Ley para su debate en la Comisión de Empleo y Seguridad Social, relativa al aumento de la siniestralidad laboral en 2017. Madrid: Boletín Oficial de las Cortes Generales Serie D n°321 de 20 de marzo.

Quevedo, A, Palma, A, and Quintero, M. (2005). Fatiga laboral y condiciones ambientales de una planta de envasado de una industria cervecera. https://dialnet.unirioja.es/servlet/articu-lo?codigo=1411233 [Accesed 10 February 2023].

RD 1299/2006. de 10 de noviembre. por el que se aprueba el cuadro de enfermedades profesionales en el sistema de la Seguridad Social y se establecen criterios para su notificación y registro. Madrid: Boletín Oficial del Estado nº 302.

RD 1414/1981. de 3 de julio. Real Decreto 1414/1981, de 3 de julio, por el que se reestructura el Instituto Social de la Marina. Madrid : Boletín Oficial del Estado nº 169, págs. 16182-16183.

RD 1562/1995. de 21 de septiembre. Real Decreto 1562/19-95, de 21 de septiembre, sobre directrices generales de los planes de estudios de las enseñanzas de formación para el acceso a las Escalas de Suboficiales y Básica de Cabos y Guardias del Cuerpo de la Guardia Civil. s.l.: Boletín Oficial del Estado nº 248,

RD 1696/2007. de 14 de diciembre. Real Decreto 1696/2007, de 14 de diciembre, por el que se regulan los reconocimientos médicos de embarque marítimo. Madrid : BOE,Boletín Oficial del Estado, de 14 de diciembre. 313, págs. 53975-53985.

RD 2358/1982. de 27 de agosto. Real Decreto 2358/1982, de 27 de agosto, por el que se determina la estructura orgánica del Instituto Social de la Marina. Madrid : Boletín Oficial del Estado nº 228.

RD 285/2002. de 22 de marzo. Real Decreto 285/2002, de 22 de marzo, por el que se modifica el Real Decreto 1561/1995, de 21 de septiembre, sobre jornadas especiales de trabajo, en lo relativo al trabajo en la mar. Ministerio de Trabajo y Asuntos Sociales. Palma de Mallorca: Bolertín Oficial del Estado nº 82.pág. 13007 a 13015.

RD 39/1997. de 17 de enero. Real Decreto 39/1997, de 17 de enero, por el que se aprueba el Reglamento de los Servicios de Prevención. Madrid: Boletín Oficial del Estado nº 27.

RD 525/2002. de 14 de junio. Real Decreto 525/2002, de 14 de junio, sobre el control de cumplimiento del Acuerdo comunitario relativo a la ordenación del tiempo de trabajo de la gente de mar. Madrid: Boletín Oficial del Estado, nº 152, págs. 23203-23207.

RD 963/2009. de 12 de junio. Real Decreto 973/2009, de 12 de junio, por el que se regulan las titulaciones profesionales de la marina mercante. Madrid : Boletín Oficial del Estado nº 159, págs. 55234-55263.

Reyner, L. (1998). Fatigue in ferry crews: A pilot study. In L. Hartley (Ed.), Proceedings of the International Conference on Maritime Human Factors (pp. 339-354). Kindlington, U.K.: Elsevier Science. https://trid.trb.org/View/543017 [Accesed 10 February 2023].

Ruano, S. (2009). El Convenio sobre el trabajo marítimo. Requisitos para trabajar a bordo de buques; edad mínima, certificado médico, formación y calificaciones. Revista del Ministerio de Trabajo y Asuntos Sociales, páxs. 125-158. [Accesed 10 February 2023].

Sargent, C, Gebruers, C and O'Mahony, J. (2017). A review of the physiological and psychological health and wellbeing of naval service personnel and the modalities used for monitoring. Military Medical Research. https://pubmed.ncbi.nlm.nih.gov/2-8116111/ [Accesed 10 February 2023].

Selye, H. (1960). La tensión en la vida: el stress. Buenos Aires: Compañía General Fabril Editora, 1960. https://www.bi-bliotecadigital.uchile.cl/permalink/56UDC_INST/25canv/alma-991003029959703936[Accesed 10 February 2023].

Selye H. (1973). The evolution of the stress concept. Am Sci. Nov-Dec:61(6):692-9.

Selye, H. (1978). The stress of life. Original published in 1956. New York: McGraw-Hill, https://psycnet.apa.org/record/-1957-08247-000[Accesed 10 February 2023].

Selye H. (1998). A syndrome produced by diverse nocuous agents. 1936. J Neuropsychiatry Clin Neurosci. Spring;10(2): 230-1. https://pubmed.ncbi.nlm.nih.gov/9722327/[Accesed 10 February 2023].

Smith, A. P., Allen, P. H. (2013). Fatigue in the maritime and road haulage industries. In M. Anderson (Ed.), Contemporary Ergonomics and Human Factors 2013 (pp. 183-188). Presented at the International Conference on Contemporary Ergonomics and Human Factors, Cambridge, UK, 15-18. London: Taylor and Francis. https://www.researchgate.net/publication/279849-788_Fatigue_in_the_maritime_and_road_haulage_industries [Accesed 10 February 2023].

STCW Convention. (2017). International Maritime Organization. International Convention on Standards of Training, Certification and Watchkeeping far Seafarers, 1978, as amended. including the Final Act of the 201 O Conference of Partie to the International Convention on Standards of Training, Section A-VIII/1, London: International Maritime Organization.

Stevenson, D. (2012). Caring for Seafarers Affected by Piracy. Coast Guard Journal of Safety & Security at Sea, Proceedings of the Marine Safety & Security Council, Vol. 69, No. 1, págs. 60-64. https://trid.trb.org/view/1147610 [Accesed 10 February 2023].

USCG, U.S. Department of Homeland Security. (2006). Report on demostration project: Implementing rhe crew endurance management system (CEMS) on towing vessels. Washington,DC: Homeland Security.

UCM, Universidad Complutense Madrid. (2013). Fatiga Laboral: Conceptos y Prevención. Madrid: Delegación del Rector para la Salud, Bienestar social y Medio Ambiente.

Uğurlu, Ö, Köse, E, Yildirim, U and Yuksekyildiz, E. (2013). Marine accident analysis for collision and grounding in oil tanker using FTA method. Maritime Policy & Management. 42. 1-23. https://www.researchgate.net/publication/271930889_Marine_accident_analysis_for_collision_and_grounding_in_oil_tanker_using_FTA_method [Accesed 10 February 2023].

Wadsworth, E, Allen, P, McNamara, R, and Smith, A, Fatigue and health in a seafaring population, *Occupational Medicine*, Volume 58, Issue 3, May 2008, Pages 198–204, https://pubmed-ncbi.nlm.nih.gov/18310605/[Accesed 10 February 2023].